

## UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/617,002	07/09/2003	Blaine R. Southam	200209006-1	3099
22879 7590 06/18/2007 HEWLETT PACKARD COMPANY P O BOX 272400, 3404 E. HARMONY ROAD			EXAMINER	
			JEAN GILLES, JUDE	
	INTELLECTUAL PROPERTY ADMINISTRATION FORT COLLINS, CO 80527-2400		ART UNIT	PAPER NUMBER
•			2143	· · · · · · · · · · · · · · · · · · ·
			<del></del>	
			MAIL DATE	DELIVERY MODE
			06/18/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)	
Office Action Summary		10/617,002	SOUTHAM, BLAINE R.	
		Examiner	Art Unit	
		Jude J. Jean-Gilles	2143	
Period fo	The MAILING DATE of this communication app or Reply	pears on the cover sheet with th	e correspondence address	
A SHOWHIC VHIC - Exter after - If NO - Failu Any r	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DATE of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Period for reply is specified above, the maximum statutory period ver to reply within the set or extended period for reply will, by statute eply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION (a) In no event, however, may a reply built apply and will expire SIX (6) MONTHS for a cause the application to become ABANDO	ON.  e timely filed  rom the mailing date of this communication.  DNED (35 U.S.C. § 133).	
Status				
2a)⊠	Responsive to communication(s) filed on 30 M. This action is <b>FINAL</b> . 2b) This Since this application is in condition for allower closed in accordance with the practice under E	action is non-final.  nce except for formal matters,		
Dispositi	on of Claims			
5)□ 6)⊠ 7)□ 8)□	Claim(s) 1-31 is/are pending in the application.  4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed.  Claim(s) 1-31 is/are rejected.  Claim(s) is/are objected to.  Claim(s) are subject to restriction and/or	wn from consideration.		
Applicati	on Papers			
10)⊠	The specification is objected to by the Examine The drawing(s) filed on <u>09 July 2003</u> is/are: a)[ Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Ex	☑ accepted or b)☐ objected the drawing(s) be held in abeyance. ion is required if the drawing(s) is	See 37 CFR 1.85(a). objected to. See 37 CFR 1.121(d).	
Priority ι	ınder 35 U.S.C. § 119			
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>				
2)  Notic 3)  Infor	t(s) te of References Cited (PTO-892) te of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	4)  Interview Summ Paper No(s)/Ma 5)  Notice of Inform 6)  Other:	I Date	

Application/Control Number: 10/617,002

Art Unit: 2143

DETAILED ACTION

Page 2

This Action is in regards to the Reply received on 03/30/2007.

Response to Amendment

1. In this Reply all independent Claims 1, 15 and 24 were amended. Claims 1-31

are pending. Claims 1-31 represent a method and apparatus for an "SYSTEMS AND

METHODS FOR COLLECTING DATA REGARDING NETWORK SERVICE

**OPERATION**"

Response to Arguments

2. Applicant's arguments with respect to claims 1, 15 and 24 have been carefully

considered, but are not deemed fully persuasive. Applicant's arguments are deemed

moot in view of the following new ground of rejection as explained here below,

necessitated by Applicant substantial amendment (i.e., a method wherein intercepting a

message sent by a client computer using a web protocol, the message being directed to

a web service available on the Internet...) to the claims which significantly affected the

scope thereof.

The dependent claims stand rejected as articulated in the Previous Office Action

and all objections not addressed in Applicant's response are herein reiterated.

In response to Applicant's arguments, 37 CFR § 1.11(c) requires applicant to "clearly

point out the patentable novelty which he or she thinks the claims present in view of the

state of the art disclosed by the references cited or the objections made. He or she must show the amendments avoid such references or objections."

## Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 4. Claims 1-31 are rejected under 35 U.S.C. 102(e) as being anticipated by Karakashian et al (Karakashian), Patent No. 6,754,718 B1.

Regarding claim 1, Karakashian discloses

1. (Currently amended) A method for collecting data regarding network service operation, the method comprising:

intercepting a message sent by a client computer using a web protocol, the message being directed to a web service available on the Internet [par. 0032];

storing information about the message <u>once it has been intercepted, the information</u>

<u>being useful in profiling service</u> operation [par. 0033; note that the container driver 200 receives the message context from the protocol adapter 102 and sends the message context to the registered inbound interceptors 202, 204, 206; and transmitting the message to a destination web service (see the disclosure of claim 1;

note the Web Service invoke requests is saved in the container driver, where the message context is modified and sent with message to the web services destination).

- 2. (Currently amended) The method of claim 1, wherein intercepting a message comprises intercepting a message sent by a developed web service <u>that executes on the client computer</u> [0032, 0063].
- 3. (Currently amended) The method of claim 1, wherein intercepting a message comprises intercepting a message using a network proxy that is intermediate the client computer and the destination web service [0016, 0087].
- 4. (Original) The method of claim 1, wherein storing information about the message comprises storing information about the message using a network proxy [0016, 0087].
- 5. (Currently amended) The method of claim 4, wherein storing information about the message comprises storing information about at least one of a time the message was received, an identity of the client <u>computer</u> that sent the message, an identity of the destination network service, a time at which the message was transmitted to the destination network service, and information about the substance of the message.
- 6. (Currently amended) The method of claim 1, wherein transmitting the message to a destination web service comprises transmitting the message to an external web service on the Internet [0036, 0044, 0045, 0046, and 0050].
- 7. (Currently amended) The method of claim 1, wherein transmitting the message to a destination web service comprises transmitting the message to a mock web service that emulates operation of an external web service [0134, 0135, note that a mock web

service is similar to a test web service].

- 8. (Currently amended) The method of claim 1, further comprising interjecting instrumentation information into the message prior to transmitting the message to the destination web service, the instrumentation information being useful in profiling system operation [See the disclosure of the abstract and claim 1; note that the formatted context information from the container driver and parameters that are passed from the message context to the target of the request. The invocation handler processes values returned from the target and passes these values to the container driver and these values and parameters represent profiling system data].
- 9. (Currently amended) The method of claim 8, wherein interjecting instrumentation information comprises interjecting instrumentation information using a network proxy that is intermediate the client <u>computer</u> and the destination network web service [0016, 0087].
- 10. (Original) The method of claim 9, wherein interjecting instrumentation information comprises adding instrumentation information to a header of the message [0027, 0040, and 0054].
- 11. (Currently amended) The method of claim 9, wherein interjecting instrumentation information comprises interjecting at least one of a time the message was received, an identity of the client <u>computer</u> that sent the message, an identity of the destination network service, a time at which the message was transmitted to the destination network service, and information about the substance of the message.

12. (Currently amended) The method of claim 11, further comprising receiving a response from the destination network web service and storing data regarding the response.

Page 6

- 13. (Original) The method of claim 12, wherein storing data regarding the response comprises storing data using a network proxy through which the response is routed [0016, 0087].
- 14. (Original) The method of claim 13, wherein storing data regarding the response comprises storing at least one of a time the response was received, an identity of the destination network service, a time that the message transmitted to the destination network service was received, and a time that the response was transmitted by the destination network service.
- 15. (Currently amended) A system for collecting data regarding network service operation, the system comprising:

means for intercepting a message sent by a client computer using a web protocol, the message being directed to a web service available on the Internet;

means for storing information about the message once it has been intercepted; means for interjecting instrumentation into the message, the instrumentation being useful in profiling service operation; and

means for transmitting the message to a destination web service [par. 0032; 0033; also see abstract and figs 1-4].

16. (Currently amended) The system of claim 15, wherein the means for intercepting a

message comprise a network proxy that is intermediate the client <u>computer</u> and the destination network web service [0016, 0087].

- 17. (Currently amended) The system of claim 15, wherein the means for storing information comprise means for storing information about at least one of a time the message was received, an identity of the client computer that sent the message, an identity of the destination network service, a time at which the message was transmitted to the destination network service, and information about the substance of the message.

  18. (Currently amended) The system of claim 15, wherein the means for interjecting instrumentation information comprise a network proxy that is intermediate the client computer and the destination web service [0016, 0087].
- 19. (Original) The system of claim 15, wherein the means for interjecting instrumentation information comprise means for adding instrumentation information to a header of the message [0027, 0040, and 0054].
- 20. (Currently amended) The system of claim 15, wherein the means for interjecting instrumentation information comprise means for interjecting at least one of a time the message was received, an identity of the client <u>computer</u> that sent the message, an identity of the destination network service, a time at which the message was transmitted to the destination network service, and information about the substance of the message [par. 0032; 0033; also see abstract and figs 1-4].
- 21. (Currently amended) The system of claim 15, further comprising means for storing data regarding a response received from the destination web service [figs 1-4].

- 22. (Original) The system of claim 21, wherein the means for storing data regarding a response comprise a network proxy [0016, 0087].
- 23. (Original) The system of claim 21, wherein the means for storing data regarding the response comprise means for storing at least one of a time the response was received, an identity of the destination network service, a time that the message transmitted to the destination network service was received, and a time that the response was transmitted by the destination network service [par. 0032; 0033; also see abstract and figs 1-4].

  24. (Currently amended) A network proxy stored on a computer-readable medium [0016, 0087], the proxy comprising:

logic configured to intercept messages <u>sent by a client computer using a web protocol</u>

<u>and directed to a web service available on the Internet;</u>

logic configured to store information about the message <u>once it has been intercepted</u>, the information being useful in profiling service operation; and logic configured to transmit the message to a destination web service [par. 0032; 0033; also see abstract and figs 1-4].

25. (Currently amended) The network proxy of claim 24, wherein the logic configured to store information about the message comprises logic configured to store information about at least one of a time the message was received, an identity of the client computer that sent the message, an identity of the destination network service, a time at which the message was transmitted to the destination network service, and information about the substance of the message [par. 0032; 0033; also see abstract and figs 1-4].

Application/Control Number: 10/617,002

Art Unit: 2143

- 26. (Currently amended) The network proxy of claim 24, wherein the logic configured to transmit is configured to transmit the message to one of an external web service and a mock web service that emulates operation of the external web service [0016, 0087].

  27. (Original) The network proxy of claim 24, further comprising logic configured to interject instrumentation information into the message [0016, 0087].
- 28. (Original) The network proxy of claim 27, wherein the logic configured to interject instrumentation information comprises logic configured to add instrumentation information to a header of the message[0027, 0040, and 0054].
- 29. (Currently amended) The network proxy of claim 27, wherein the logic configured to interject instrumentation information comprises logic configured to interject at least one of a time the message was received, an identity of the client <u>computer</u> that sent the message, an identity of the destination network service, a time at which the message was transmitted to the destination network service, and information about the substance of the message[par. 0032; 0033; also see abstract and figs 1-4].
- 30. (Currently amended) The network proxy of claim 24, further comprising logic configured to receive a response from the destination web service and logic configured to store data regarding the response [0083, 0090, and 0093].
- 31. (Original) The network proxy of claim 30, wherein the logic configured to store data regarding the response comprises logic configured to store at least one of a time the response was received, an identity of the destination network service, a time that the

Page 10

Art Unit: 2143

message transmitted to the destination network service was received, and a time that the response was transmitted by the destination network service[par. 0032; 0033; also see abstract and figs 1-4].

## Conclusion

5. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from examiner should be directed to Jude Jean-Gilles whose telephone number is (571) 272-3914. The examiner can normally be reached on Monday-Thursday and every other Friday from 8:00 AM to 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Wiley, can be reached on (571) 272-3923. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (571) 272-9000.

Jude Jean-Gilles

**Patent Examiner** 

Art Unit 2143

JJG

June 10, 2007

DAVID WALEY
CLIDED VISORY PATENT EXA

SUPERVISORY PATENT EXAMINED